Budgie Mutations

Standard Requirement, for a Greywing

Budgie Mutations

Gray		
book Foliches		
oby Calar		
Tal Fashers		
Mil. Examinate Milds What the Gury Wings has not 35% of normal loady unitine depth.		
so can have a Gray using with full badycolour, this is a cross between Grey Wiling and Clear Wiling.		
And the second section of the second section of the second section of the second section of the second section		
or can also have a Consumo Grey Wing. and as you removely durn't see any chromoso markings, but a Gory Wing with even more dished designaring, it is very seep to lake it for a Yellow or a White.		
these descriptions below an Normal Sulfiths the research or one!		

Page 2 / 3

Budgie Mutations

NORMAL 100% melarine in body, cheekpatches, wings and tall NORMAL/ grey wing 100% melarine in body, cheekpatches, wings and tall NORMAL/ clear wing 100% melarine in body, cheekpatches, wings and tall
NORMAL/diluted 160% melianize in body, cheekpatches, wings and tail
These descriptions below are the recessive gans (they can not be split)
CREY WING 50% melantes in body, chesipatotae, sings, and tall GREY WING WITH PULL BOOYCOUGH 100% melantes in body, chesipatotas and tall, 50% melantes in wings CLEAR WING/distanced 100% melantes in body, chesipatotas and tall, 5-10% melantes in wings CLEAR WING/distanced 100% melantes in body, chesipatotas and tall, 5-10% melantes in wings DILUTED 3-10% melantes in body, chesipatotas, and tall several tall tall tall tall tall tall tall t
Information from PHT Budgerigars
Contributed by Daz

Unique solution ID: #1199

Author: birdluv

Last update: 18-Sep-2008 12:35